<u>Y4 – Autumn – Block 2 – Step 6 – Subtract two 4-digit numbers – one exchange Answers</u>

Question	Ans	swe	r										
1	b) c) d)	We	19 t a ne) wa eed	to	do a	an ex	ecause we do not need to do an exchange. xchange.					
2	 1 ten can be exchanged for 10 ones. 1 hundred can be exchanged for 10 tens. 1 thousand can be exchanged for 10 hundreds. 												
	a)			Н		0							
			_	3	1 <u>7</u> /	¹ 7							
				2	_	8							
	b)			Th	Н	Т	0						
				7	6	67	¹ 3						
			-		1	3	4						
				7	5	3	9						
3	c)			Th	Н	Т	0						
	,			9	8	34							
			-	6	2	1	6						
				3	6	2	9						
	e)			Th	-	_							
				3	1	-	¹ 1						
			-	1 2	0 1	2	9						
				_	Ť	-							
						1							

<u>Y4 – Autumn – Block 2 – Step 6 – Subtract two 4-digit numbers – one exchange Answers (continued)</u>

Question	Ans	we	r				
	a)			Н	Т	0	
				2,3	¹ 2	7	
			_	1	3	2	
				1	9	5	
	b)			Th	Н	Т	О
						¹ 7	3
			_		2	8	1
				7	3	9	2
							_
4	c)					_	
	C)			Th		T	0
						_	
			-	2	3	6	0
				7	4	8	5
	d)			Th	Н	Т	0
				3	°/1′	¹ 5	1
			-	1	0	9	0
				2	0	6	1

Question	Answer												
	a)			Th	Н	Т	0						
				² 3⁄	¹ 2	7	0						
			_	1	3	2	0						
				1	9	5	0						
				_									
	b)					_							
	D)			Th		T	0						
				67	¹ 6	7	3						
			-	6	9	5	1 2						
				0	3	3							
5	c)			Th		T	0						
				89	¹ 8	4	5						
			-	1	9	2	1						
				7	9	2	4						
	d)			Th	Н	Т	0						
				23/	1 1	5	1						
			-	1	5	4	1						
				1	6	1	0						
	No												
6	He has found the difference between the numbers in each column, rather than making												
	an exchange.												
	£6,3	275											
7	LO,	5/5											
	9,7	13											
8	'												